ELSEVIER

Carbohydrate Research 301 (1997) VII–VIII

CARBOHYDRATE RESEARCH

# Contents

iii Graphical Abstracts

**Rapid Communication**

**M.A. Earle, S. Manku, P.G. Hultin (Winnipeg, Canada), H. Li and M.M. Palcic (Edmonton, Canada)** 1 Chemoenzymatic synthesis of a trimeric ganglioside $GM_3$ analogue

**Regular Papers**

**A. Poveda, C. Vicent, S. Penadés and J. Jiménez-Barbero (Madrid, Spain)** 5 NMR experiments for the detection of NOEs and scalar coupling constants between equivalent protons in trehalose-containing molecules

**Y.B. Tewari, R.N. Goldberg (Gaithersburg, MD, USA) and M. Sato (Fujisawa, Japan)** 11 Thermodynamics of the hydrolysis and cyclization reactions of α-, β-, and γ-cyclodextrin

**É. Bozó, S. Boros and J. Kuszmann (Budapest, Hungary)** 23 Synthesis of 4-cyanophenyl 2-azido-2-deoxy- and 3-azido-3-deoxy-1,5-dithio-β-D-xylopyranosides

**S. Sheng and R. Cherniak (Atlanta, GA, USA)** 33 Structure of the $^{13}C$-enriched *O*-deacetylated glucuronoxylomannan of *Cryptococcus neoformans* serotype A determined by NMR spectroscopy

**W.A. Bubb (Sydney, Australia), T. Urashima, R. Fujiwara, T. Shinnai and H. Ariga (Hokkaido, Japan)** 41 Structural characterisation of the exocellular polysaccharide produced by *Streptococcus thermophilus* OR 901

**S. Ikeda, H. Kumagai and K. Nakamura (Tokyo, Japan)** 51 Dielectric analysis of food polysaccharides in aqueous solution

**S.N. Senchenkova, A.S. Shashkov, Y.A. Knirel (Moscow, Russian Federation), E. Schwarzmüller and H. Mayer (Freiburg-Zähringen, Germany)** 61 Structure of the O-specific polysaccharide of *Salmonella enterica* ssp. *arizonae* O50 (*Arizona* 9a,9b)

**E.V. Groman and D. Gou (Cambridge, MA, USA)** 69 Development of an immunoassay for larch arabinogalactan and its use in the detection of larch arabinogalactan in rat blood

**A. El Nemr and T. Tsuchiya (Kawasaki, Japan)** 77 α-Hydrogen elimination in some 3- and 4-triflates of α-D-glycopyranosides

**Note**

**J.H. Prescott, E.V. Groman and G. Gulyas (Cambridge, MA, USA)** 89 New molecular weight forms of arabinogalactan from *Larix occidentalis*

iii Graphical Abstracts

**Regular papers**

**F. Orsini, F. Pelizzoni, B. Bellini and G. Miglierini (Milano, Italy)** 95 Synthesis of biologically active polyphenolic glycosides (combretastatin and resveratrol series)

**M.O. Lederer, C.M. Dreisbusch and R.M. Bundschuh (Stuttgart, Germany)** 111 Amadori products from model reactions of D-glucose with phosphatidyl ethanolamine — Independent synthesis and identification of 1-deoxy-1-(2-hydroxyethylamino)-D-fructose derivatives

| | | |
|---|---|---|
| **Y. Konda, T. Toida, E. Kaji (Tokyo, Japan), K. Takeda (Kanagawa, Japan) and Y. Harigaya (Tokyo, Japan)** | 123 | First total synthesis of two new diglycosides, neohancosides A and B, from *Cynanchum hancockianum* |
| **T. Heidelberg and J. Thiem (Hamburg, Germany)** | 145 | Synthesis of novel amino acid glycoside conjugates |
| **S.M. Andersen (Lyngby, Denmark), M. Ebner, C.W. Ekhart, G. Gradnig (Graz, Austria), G. Legler (Köln, Germany), I. Lundt (Lyngby, Denmark), A.E. Stütz (Graz, Austria), S.G. Withers (Vancouver, Canada) and T. Wrodnigg (Graz, Austria)** | 155 | Two isosteric fluorinated derivatives of the powerful glucosidase inhibitors, 1-deoxynojirimycin and 2,5-dideoxy-2,5-imino-D-mannitol: Syntheses and glycosidase-inhibitory activities of 1,2,5-trideoxy-2-fluoro-1,5-imino-D-glucitol and of 1,2,5-trideoxy-1-fluoro-2,5-imino-D-mannitol |
| **Z.J. Witczak, R. Chhabra, H. Chen and X.-Q. Xie (Storrs, CT, USA)** | 167 | Thiosugars II. A novel approach to thiodisaccharides. The synthesis of 3-deoxy-4-thiocellobiose from levoglucosenone |
| **I. Eriksson, R. Andersson and P. Åman (Uppsala, Sweden)** | 177 | Extraction of pectic substances from dehulled rapeseed |
| **S. Haseley and S.G. Wilkinson (Hull, UK)** | 187 | Structure of the O18 antigen from *Acinetobacter baumannii* |
| **F. Ferreira (Montevideo, Uruguay), L. Kenne (Uppsala, Sweden), M.A. Cotta (Peoria, IL, USA) and R.J. Stack (Alameda, CA, USA)** | 193 | Structural studies of the extracellular polysaccharide from *Butyrivibrio fibrisolvens* strain CF3 |
| **L. Cheng and P.K. Kindel (East Lansing, MI, USA)** | 205 | Detection and homogeneity of cell wall pectic polysaccharides of *Lemna minor* |
| **M.M. Rahman, J. Guard-Petter, K. Asokan and R.W. Carlson (Athens, GA, USA)** | 213 | The structure of the capsular polysaccharide from a swarming strain of pathogenic *Proteus vulgaris* |
| **Notes** | | |
| **D. Bhar and S. Chandrasekaran (Bangalore, India)** | 221 | A simple synthesis of sugar disulfides using tetrathiomolybdate as a sulfur-transfer reagent |
| **M.-D. Desruet, C. Morin and L. Ogier (Grenoble, France)** | 225 | Synthesis of iodobenzylidene and iodoethylidene acetals of D-glucose |
| | I | Author Index |
| | III | Subject Index |
| | VII | Contents |